

# PASCOM: Invasive Procedures Report



The Society of  
Chiropractors  
and Podiatrists

## Report Filter:

Date Range: All events between 01/01/2010 and 31/12/2010

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 55

Total number of episodes: 3989

Total number of treatments: 4924

Code	Name		
0	Nil intervention	2	0.0389%
1	AMPUTATION GREAT TOE	2	0.0389%
1.1	amputation great toe distal phalanx only also see 31.30 for nail	4	0.0779%
1.3	trans- first metatarsal amputation /excision	7	0.1363%
2	AMPUTATION LESSER TOE (unspec)	17	0.3310%
2.1	terminal end of toe distal phalanx or part of single toe	18	0.3505%
2.3	disarticulation to metatarsal head single toe whole toe amputation	43	0.8372%
2.31	disarticulation to metatarsal head two or more toes whole toe	4	0.0779%
2.41	amputation single lesser transmetatarsal or v ray section	1	0.0195%
2.42	amputation multiple lesser transmetatarsal or V ray section one foot	1	0.0195%
2.5	amputation forefoot at MCJ level single foot	1	0.0195%
3	BASAL OSTEOTOMY all BWO	11	0.2142%
3.11	BASAL OSTEOTOMY all BWO use 3	4	0.0779%
3.12	BASAL OSTEOTOMY all BWO use 3	8	0.1558%
3.14	dorsiflexory osteotomy at base 1st metatarsal	2	0.0389%
4	ARTHRODESIS GREAT TOE (unspec)	12	0.2336%
4.1	ipj arthrodesis with or without tendon balance	11	0.2142%
4.2	first MTPJ arthrodesis single great toe	42	0.8178%
5	ARTHRODESIS LESSER TOE unspecified	47	0.9151%
5.1	DIPJ lesser toe fusion single toe	18	0.3505%
5.11	DIPJ lesser toe fusion multiple toes same foot	2	0.0389%
5.12	DIPJ lesser toe fusion multiple toes both feet	3	0.0584%
5.2	PIPJ lesser toe fusion single toe	114	2.2196%
5.21	PIPJ lesser toe fusion multiple toes same foot	24	0.4673%
5.22	PIPJ lesser toe fusion multiple toes both feet	5	0.0974%
5.3	combined PIPJ/DIPJ arthrodesis single toe	10	0.1947%
5.31	combined PIPJ/DIPJ arthrodesis multiple toes same foot	5	0.0974%
5.32	combined PIPJ/DIPJ arthrodesis multiple toes both feet	2	0.0389%
5.4	ARTHRODESIS MIDFOOT 1st MCJ (Lapidus) single only	46	0.8956%
5.401	arthrodesis midfoot 1st MCJ (Lapidus) both feet	4	0.0779%
5.41	arthrodesis involving metatarsal:cuneiform 1,2,3 single joint	5	0.0974%
5.411	arthrodesis involving metatarsal:cuneiform 1,2,3 two or more joints	4	0.0779%
5.43	arthrodesis inter-cuneiform fusion single foot	1	0.0195%

Code	Name		
5.44	arthrodesis navicular-cuneiform fusion single foot	5	0.0974%
5.45	arthrodesis hindfoot talo-navicular fusion single foot	8	0.1558%
5.47	arthrodesis subtalar joint single foot	3	0.0584%
5.48	arthrodesis triple STJ single foot	2	0.0389%
6	ARTHROPLASTY LESSER TOE (Unspec.)	37	0.7204%
6.1	arthroplasty excisional lesser toe single DIPJ	98	1.9081%
6.11	arthroplasty excisional lesser toe single DIPJ both feet	7	0.1363%
6.12	arthroplasty excisional lesser toe two or more DIPJ same foot	18	0.3505%
6.13	arthroplasty excisional lesser toe two or more DIPJ both feet	6	0.1168%
6.2	arthroplasty excisional lesser toe single PIPJ	333	6.4836%
6.21	arthroplasty excisional lesser toe single PIPJ both feet	22	0.4283%
6.22	arthroplasty excisional lesser toe two or more PIPJs same foot	64	1.2461%
6.23	arthroplasty excisional lesser toe two or more PIPJs both feet	5	0.0974%
6.24	arthroplasty single PIPJ and DIPJ mutiple same foot	2	0.0389%
6.25	arthroplasty two or more both PIPJ and DIPJ both feet	4	0.0779%
6.4	MPJ arthroplasty base of lesser digit partial excision (Stainsby pattern)	11	0.2142%
6.41	MPJ arthroplasty single toe same foot	3	0.0584%
6.42	MPJ arthroplasty single toe both feet	2	0.0389%
6.45	Phalangeal Akin (lesser digit closing wedge osteotomy)	44	0.8567%
6.5	WHOLE PHALANX EXCISION	1	0.0195%
6.51	Proximal phalanx single toe	7	0.1363%
6.52	Proximal phalanx single toe both feet	1	0.0195%
6.601	Distal phalanx single toe	1	0.0195%
6.71	Int phalanx single toe	3	0.0584%
6.72	Int phalanx single toe both feet	1	0.0195%
7	OSTEOTOMY FIRST METATARSAL SINGLE FOOT (Unspec.)	13	0.2531%
7.1	Chevron capital osteotomy	36	0.7009%
7.11	Chevron capital decompression (bone removed)	21	0.4089%
7.2	Scarf osteotomy midshaft with akin	439	8.5475%
7.21	Scarf rotational osteotomy midshaft with Akin	243	4.7313%
7.22	Scarf with no akin either accepted	9	0.1752%
7.23	Scarf transpositional no akin	64	1.2461%
7.24	Scarf rotational no akin	24	0.4673%
7.5	Reverdin (unspec.) osteotomy	7	0.1363%
7.53	Reverdin-L osteotomy	24	0.4673%
7.6	BILATERAL FIRST METATARSAL OSTEOTOMIES (unspec)	2	0.0389%
7.61	Use 7.6 Capital pattern non specified elsewhere	3	0.0584%
7.62	Removed as an option must select 7.2 for this procedure	91	1.7718%
7.63	Midshaft Scarf without Akin	21	0.4089%
7.64	Midshaft Scarf rotational with Akin	94	1.8302%
7.65	Midshaft Scarf rotational without Akin	7	0.1363%
7.67	Mixed foot eg MCJ fusion, other foot capital osteotomy	1	0.0195%
8	HALLUX OSTEOTOMY of proximal or distal hallux (unspec.) single foot	5	0.0974%
8.1	Hallux wedge base proximal phalanx (transverse) Akin cortex unbreached	65	1.2656%

Code	Name		
8.11	Hallux wedge base proximal phalanx (oblique pattern) cortex unbreached	12	0.2336%
8.12	hallux wedge base proximal phalanx transverse cortex breached both feet	2	0.0389%
8.2	shortening + rotation prox. phalanx thru cut (trapezoid) abduction reduced	2	0.0389%
8.3	Dorsal wedge base of hallux prox.phalanx Bonney-Kessel pattern	45	0.8762%
8.31	Dorsal wedge base of hallux prox.phalanx Bonney-Kessel pattern both feet	3	0.0584%
8.4	Distal phalanx wedge osteotomy hallux non breached single foot	1	0.0195%
9	CALCANEAL SPUR (unspec.)	1	0.0195%
9.2	Retrocalcaneal exostectomy	15	0.2921%
10	CAPSULOTOMY LESSER MTPJ CLOSED	6	0.1168%
10.2	Multiple lesser MTPJ	2	0.0389%
11	CAPSULOTOMY FIRST MTPJ OPEN single foot	8	0.1558%
11.1	Capsulotomy first MTPJ OPEN both feet	2	0.0389%
12	CAPSULOTOMY LESSER MTPJ OPEN	19	0.3699%
12.1	single lesser MTPJ	10	0.1947%
12.2	Multiple lesser MTPJ	3	0.0584%
13	LESSER METATARSAL HEAD dorsal bone exostectomy single	9	0.1752%
13.2	Leser metatarsal head more than one same foot	3	0.0584%
14	CHEILECTOMY FIRST RAY (unspec) distal or proximal	82	1.5966%
14.1	cheilectomy distal and proximal MTP Valenti type	27	0.5257%
14.2	cheilectomy dorsal metataral head only	59	1.1488%
14.21	cheilectomy dorsal metataral head both feet	2	0.0389%
14.3	cheilectomy dorsal proximal phalanx only	2	0.0389%
14.5	Medial exostectomy (Silvers pattern) first metatarsal	23	0.4478%
14.32	Cheilectomy lesser MTP joint	15	0.2921%
14.51	Medial exostectomy (Silvers pattern) both feet first metatarsal	1	0.0195%
14.6	Dorsal resection of base first metatarsal and medial cuneiform	2	0.0389%
16.0	ARTHROPLASTY first MTPJ base prox phalanx (Keller pattern)	73	1.4213%
16.1	ARTHROPLASTY First MTPJ (Keller pattern) both feet	1	0.0195%
17	LESSER METATARSALS (unspec)	3	0.0584%
17.1	lesser metatarsal includes 2-4 proximal displacement (PDO/Weil pattern) single metatarsal	65	1.2656%
17.11	lesser metatarsal includes 2-4 proximal displacement (PDO/Weil pattern) 2 or more metatarsals	16	0.3115%
17.4	lesser metatarsal 2-4 (Oblique Giannestras pattern) single metatarsal	1	0.0195%
17.2	lesser metatarsal 2-4 (Schweil pattern) single metatarsal	9	0.1752%
17.3	lesser metatarsal 2-5 (Chevron pattern) single metatarsal	3	0.0584%
17.4	lesser metatarsal Gauthier-Elbaz pattern V osty. For osteochondritis single	2	0.0389%
17.51	lesser metatarsal (2-5) base osteotomy wedge / elevation single metatarsal	4	0.0779%
17.6	lesser metatarsal 2-4 Swartz dorsal displacement single metatarsal	4	0.0779%
17.7	single metatarsal base osteotomy wedge/ met. Adductus correction	1	0.0195%
17.8	FIFTH METATARSAL OSTEOTOMIES TAILORS BUNIONNETTE / IMA	19	0.3699%
17.81	Excision of lateral head alone single	1	0.0195%
17.83	L-Osteotomy	2	0.0389%
17.84	Scarf (5th metatarsal)	16	0.3115%
17.86	base wedge osteotomy	11	0.2142%

Code	Name		
17.9	FIFTH METATARSAL OSTEOTOMIES both feet sub category	1	0.0195%
17.94	Scarf (5th metatarsal)	2	0.0389%
18	COMBINATIONAL FIRST METATARSAL with lesser metatarsal(s) (unspec)	7	0.1363%
18.1	capital pattern with SINGLE lesser metatarsal	1	0.0195%
18.2	midshaft pattern with or without Akin and SINGLE lesser metatarsal	1	0.0195%
18.3	basal pattern with or without Akin and SINGLE lesser metatarsal	1	0.0195%
19	INJECTION JOINTS (Unspec) usually steroid (sodium hyaluronate accepted)	47	0.9151%
19.1	First MTP Joint single foot	69	1.3435%
19.11	First MTP Joint both feet	9	0.1752%
19.12	Lesser MTP Joint single joint	61	1.1877%
19.13	Lesser MTP Joint multiple joint same foot	26	0.5062%
19.14	Lesser MTP Joint single joint both feet	3	0.0584%
19.15	Lesser MTP Joint more than one joint both feet	1	0.0195%
19.2	MC Joint 1st	11	0.2142%
19.21	MC Joint 1st both feet	1	0.0195%
19.22	MC Joint 2nd	14	0.2726%
19.23	MC Joint 2nd both feet	3	0.0584%
19.24	MC Joint 3rd	6	0.1168%
19.25	MC Joint 3rd both feet	2	0.0389%
19.3	Intermetatarsal facet 1/2	1	0.0195%
19.32	Intermetatarsal facet 2/3	11	0.2142%
19.34	Intermetatarsal facet 3/4	11	0.2142%
19.35	Intermetatarsal facet 3/4 both feet	2	0.0389%
19.36	Intermetatarsal facet 4/5	6	0.1168%
19.4	Met-cuboid Joint	7	0.1363%
19.41	Met-cuboid Joint both feet	1	0.0195%
19.5	Talo-navicular Joint	7	0.1363%
19.51	Talo-navicular Joint both feet	2	0.0389%
19.6	Subtalar Joint (sinus tarsi)	29	0.5646%
19.7	Talo-crural Joint Ankle Mortice	7	0.1363%
19.71	Talo-crural Joint Mortice both feet	2	0.0389%
20.12	lesser MTPj single joint	1	0.0195%
21	FASCIA SURGERY (unspec)	3	0.0584%
21.1	Fascia excision central section complete or partial	6	0.1168%
21.4	fasciotomy division of fascia medial heel without optical guide	7	0.1363%
22	SKIN INCISION / EXCISION skin with ellipse and simple closure	59	1.1488%
22.1	excision of skin by punch biopsy	12	0.2336%
22.12	excision of skin by shave biopsy	6	0.1168%
22.2	cautery of skin single eg verruca or granuloma	18	0.3505%
22.21	cautery of skin more than three	1	0.0195%
23	NEURECTOMY INTERDIGITAL / INTERMETATARSAL (Unspecified)	144	2.8037%
23.1	Neuroma dorsal approach	93	1.8107%
23.11	Neuroma plantar approach	11	0.2142%
23.14	Neuroma double dorsal id/im approach 2 spaces	7	0.1363%

Code	Name		
23.18	Joplin neuroma hallux	4	0.0779%
23.2	NERVE RELEASE OR DECOMPRESSION	2	0.0389%
23.21	Superficial medial nerve dorsal first MTPJ	1	0.0195%
23.24	superficial nerve release anterior ankle/dorsum foot	1	0.0195%
23.25	tarsal tunnel release	1	0.0195%
24	OSTEOTRIPSY DIGITAL (spec.)	3	0.0584%
24.1	phalangeal head of toe single toe same foot	1	0.0195%
24.11	phalangeal head of toe single toe both feet	1	0.0195%
24.12	phalangeal head of toe multiple toes same foot	3	0.0584%
25	Osteotripsy bone reduction NON SPECIFIC Excludes calaneus	1	0.0195%
26.1	tendo achilles percutaneous	4	0.0779%
27	TENDON ACHILLES LENGTHENING (open)	1	0.0195%
28.1	gastroc recession single	2	0.0389%
29	TENDON LENGTHENING (Unspec.) Small Tendons of foot	15	0.2921%
29.1	extensor tendon hallucis single	14	0.2726%
29.12	extensor tendon digitorum (longus or brevis or both) single	12	0.2336%
29.13	extensors 2-5 more than one	5	0.0974%
29.15	extensor tendon hallucis both feet	5	0.0974%
29.16	extensor tendon digitorum (longus or brevis or both) single both feet	4	0.0779%
29.17	multiple extensors 2-5 same foot	1	0.0195%
29.2	TENOTOMY extensors (digital only) subcutaneous single	12	0.2336%
29.21	Tenotomy subcutaneous two or more but less than 4 see 29.22	6	0.1168%
29.22	Tenotomy subcutaneous where all 2-5 included	1	0.0195%
29.3	Tenotomy (OPEN) single extensor	9	0.1752%
29.31	Tenotomy open two extensors	4	0.0779%
29.32	Tenotomy open three extensors or more	1	0.0195%
29.4	Tenotomy decompression i.e midfoot or ankle tendons	5	0.0974%
29.5	TENDON TRANSFER (unspec)	3	0.0584%
29.51	Tendon transfer FDL	4	0.0779%
29.52	Tendon Flexor to Extensor in lesser toe	12	0.2336%
29.54	Tendon Kidner advancement	3	0.0584%
29.57	Tendon hallux Jones suspension for trigger toe used without arthrodesis	1	0.0195%
30	NAIL SURGERY PHENOL (unspec) single	31	0.6036%
30.1	PARTIAL phenolisation ablation matrixectomy single side	100	1.9470%
30.11	phenolisation and partial ablation matrixectomy both sides same toe	120	2.3364%
30.12	phenolisation and partial ablation matrixectomy two sides different toes	30	0.5841%
30.13	as above 30.12 but one side both hallux both feet	6	0.1168%
30.14	phenolisation more than two sides one foot	3	0.0584%
30.15	phenolisation more than two sides both feet	5	0.0974%
30.2	TOTAL NAIL AVULSION excision of whole nail by phenolisation single toe	143	2.7843%
30.21	excision of two nails by phenolisation same foot	4	0.0779%
30.22	excision of two nails by phenolisation both feet	12	0.2336%
30.23	excision of three nails or more by phenolisation same foot	3	0.0584%
30.3	Single AVULSION alone without nail destruction	24	0.4673%

Code	Name		
30.31	avulsion of two nails only	2	0.0389%
31	PARTIAL NAIL EXCISION surgical unspec single side (Winograd pattern)	69	1.3435%
31.1	both sides hallux same foot	1	0.0195%
31.11	single side both hallux	4	0.0779%
31.12	both sides both hallux	3	0.0584%
31.2	ZADIK MATRICECTOMY pattern whole nail hallux one foot	5	0.0974%
31.21	Zadik pattern whole nail both hallux	2	0.0389%
31.22	Zadik pattern whole nail more than one nail same foot	8	0.1558%
31.5	subungual exostectomy	9	0.1752%
31.51	subungual exostectomy single foot gt. Toe	14	0.2726%
32	EXCISION LESIONS UNDER SKIN (tumours)	16	0.3115%
32.1	Biopsy of subcutaneous tissue	15	0.2921%
32.2	excision lesion under skin small swelling eg inclusion body	9	0.1752%
32.21	excision subcutaneous swelling organised (not ganglion) discreet under 2cm	19	0.3699%
32.22	large extensive swelling across part or whole plantar foot greater than 2cm	3	0.0584%
33	SKIN PLASTIC SURGERY (SKIN PLASTY / FLAPS / GRAFTS)	6	0.1168%
33.1	VY plasty over mtpj of toe single digit	4	0.0779%
33.12	Z lengthening over mtpj single toe	6	0.1168%
33.16	syndactylisation of toe	2	0.0389%
33.17	syndactylisation of toes, multiple	1	0.0195%
33.2	single lobed Schrudde flap (Rotational flap) any site on foot	4	0.0779%
33.21	double lobed Schrudde flap	1	0.0195%
47	HARDWARE REMOVAL screws, pins, wires and plates	139	2.7064%
47.1	staple	1	0.0195%
47.2	external K wire smooth	1	0.0195%
47.31	internal K wire smooth	2	0.0389%
47.31	internal K wire threaded design	8	0.1558%
47.41	Screw solid design partially threaded AO	7	0.1363%
47.42	screw solid design fully threaded AO	15	0.2921%
47.43	self tapping screw titanium eg M3X	2	0.0389%
47.44	screw cannulated	4	0.0779%
47.5	plate	2	0.0389%
49	METATARSAL HEAD EXCISION	7	0.1363%
49.11	more than one head resection	6	0.1168%
50	PROSTHETIC REPLACEMENT JOINT FIRST MTP	9	0.1752%
50.11	prosthetic joint single plastic	7	0.1363%
50.12	prosthetic joint double stem silastic Swanson pattern	27	0.5257%
50.13	prosthetic joint double stem silastic other pattern	9	0.1752%
50.4	PROSTHETIC SPACER IN MTP LESSER TOES	1	0.0195%
50.41	single MTPJ one foot	3	0.0584%
51.1	removal silastic implant single first toe	1	0.0195%
51.2	removal of 2-part metal implant	1	0.0195%
51.3	removal of 2-part ceramic implant first toe	1	0.0195%
51.4	removal of STA peg or other implant from STJ	1	0.0195%

Code	Name		
52	Subtalar arthroeresis blocking operation for flat foot	3	0.0584%
52.1	MBA, Hyprocur or similar blocking operation for flat foot one foot	8	0.1558%
54	excision of ganglion	54	1.0514%
54.1	Bursa excision	19	0.3699%
56	EXCISION OF BONE FRAGMENT (separated by fibrous material)	3	0.0584%
56.2	from midfoot	2	0.0389%
57	EXCISION OF SESAMOID or ACCESSORY BONE	6	0.1168%
57.1	ipj hallux	6	0.1168%
57.21	medial sesamoid first metatarsal	5	0.0974%
57.23	both sesamoids first metatarsal	1	0.0195%
57.24	sesamoid shave	6	0.1168%
57.3	navicular	1	0.0195%
57.61	os trigonum ankle	1	0.0195%
58.1	Aspiration of joint first MTPJ	1	0.0195%
58.11	aspiration of joint lesser MTPJ	2	0.0389%
58.13	aspiration of talocrural joint	1	0.0195%
58.23	biopsy of joint synovium (synovectomy) lesser MTPJ	1	0.0195%
59.1	excision of cyst with or without infil by currette Not SUEX.	23	0.4478%
59.2	simple osteophytic nibbling (exclude for large resection i.e cheilectomy 14)	7	0.1363%
59.4	small excision of bone in the foot up to size of phalanx	5	0.0974%
59.5	medium excision of bone in the foot up to size of lesser metatarsal	1	0.0195%
61	REPAIR OF TENDON PRIMARY	8	0.1558%
64	OSTEOTOMY IN MIDFOOT	1	0.0195%
65	OSTEOTOMY OF CALCANEUS division of bone	5	0.0974%
65.1	Open wedge calcaneus Evans pattern	1	0.0195%
65.2	medial displacement	3	0.0584%
65.4	Keck & Kelly	2	0.0389%
66	HARVEST BONE GRAFT	12	0.2336%
67	REPAIR WITH BONE GRAFTING	3	0.0584%
68.1	incision and drainage of surgical wound with or without packing	10	0.1947%
68.3	trim and excise wound edges with or without slough removal as above	5	0.0974%
68.4	incision and drainage of abscess	3	0.0584%
69	REPAIR OF CAPSULE OF JOINT FOR STABILIZATION	2	0.0389%
70	STEROID INJECTION (soft tissue) non specific	91	1.7718%
70.1	Single one foot	73	1.4213%
70.11	Multiple one foot	6	0.1168%
70.1	Single both feet	10	0.1947%
70.11	Multiple both feet	4	0.0779%
70.12	Intermetatarsal Space	12	0.2336%
20.20	Needling dry injection technique	1	0.0195%
75.10	Combined digital with lesser metatarsal single	2	0.0389%
75.30	MULTIPLE. Combined digital with lesser metatarsal single	1	0.0195%
14.7	Dorsal exostectomy 2nd metatarsocuneiform joint one foot	1	0.0195%
<b>Totals</b>		<b>5136</b>	<b>100.0000%</b>



# PASCOM: Invasive Fixations Report



The Society of  
Chiropractors  
and Podiatrists

## Report Filter:

Date Range: All events between 01/01/2010 and 31/12/2010

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 55

Total number of episodes: 3989

Total number of treatments: 4924

Code	Name	Quantity : Count		Quantity : Average	
00	No Fixation	159	3.5483%	0.91	3.2598%
01	Staple	4	0.0893%	1.00	3.5673%
02	Wire external	368	8.2125%	1.44	5.1280%
03	Wire: internal (not specified)	11	0.2455%	1.22	4.3600%
03.1	Wire: internal - threaded	517	11.5376%	1.28	4.5538%
03.2	Wire: internal - smooth	86	1.9192%	1.48	5.2894%
04	Screw (not specified)	304	6.7842%	2.14	7.6370%
04.1	Screw - standard AO or equivalent	2079	46.3959%	2.42	8.6237%
04.2	Screw - self tapping	212	4.7311%	2.16	7.7170%
04.3	Screw - cannulated	589	13.1444%	2.86	10.1997%
05	Joint replacement - not specified	7	0.1562%	1.00	3.5673%
05.1	Joint replacement - single part plastic	35	0.7811%	1.06	3.7835%
05.2	Joint replacement - two-part metal / plastic	7	0.1562%	1.00	3.5673%
06	Plate: standard design	38	0.8480%	1.03	3.6637%
06.1	Plate: locking design	33	0.7364%	1.03	3.6788%
07	Drain	5	0.1116%	1.00	3.5673%
08	Tissue anchor	12	0.2678%	1.00	3.5673%
09	Bone graft (not specified)	1	0.0223%	1.00	3.5673%
09.1	Autograft	5	0.1116%	1.00	3.5673%
10	Stent: STJ arthroeresis	8	0.1785%	1.00	3.5673%
11	bone wax	1	0.0223%	1.00	3.5673%
<b>Totals</b>		<b>4481</b>	<b>100.0000%</b>	<b>28.03</b>	<b>100.0000%</b>



# PASCOM: Invasive Anaesthesia Report



The Society of  
Chiropractors  
and Podiatrists

## Report Filter:

Date Range: All events between 01/01/2010 and 31/12/2010

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 55

Total number of episodes: 3989

Total number of treatments: 4924

Name		
Nil. No anaesthetic	1411	28.6556%
Local (e.g. digital)	1014	20.5930%
Local with sedative (e.g. digital)	47	0.9545%
Regional ankle	1458	29.6101%
Regional ankle with sedative	198	4.0211%
Regional ankle with general	189	3.8383%
Regional leg (eg popliteal)	193	3.9196%
Regional leg with sedative (eg popliteal)	61	1.2388%
Regional leg with general (eg popliteal)	10	0.2031%
General anaesthesia	197	4.0008%
General anaesthesia with local block	128	2.5995%
Spinal / epidural	18	0.3656%
Totals	4924	100.0000%

# PASCOM: Invasive Demographics Report



The Society of  
Chiropractors  
and Podiatrists

## Report Filter:

Date Range: All events between 01/01/2010 and 31/12/2010

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 55

Total number of episodes: 3989

Total number of treatments: 4924

	Male		Female	
0 - 4	18	0.4577%	23	0.5848%
10 - 14	4	0.1017%	6	0.1526%
15 - 19	41	1.0425%	49	1.2459%
20 - 24	48	1.2204%	86	2.1866%
25 - 29	38	0.9662%	86	2.1866%
30 - 34	28	0.7119%	85	2.1612%
35 - 39	41	1.0425%	85	2.1612%
40 - 44	59	1.5001%	181	4.6021%
45 - 49	67	1.7035%	236	6.0005%
50 - 54	71	1.8052%	312	7.9329%
55 - 59	92	2.3392%	366	9.3059%
60 - 64	92	2.3392%	400	10.1704%
65 - 69	107	2.7206%	488	12.4078%
70 - 74	79	2.0086%	289	7.3481%
75 - 79	45	1.1442%	204	5.1869%
80 - 84	32	0.8136%	111	2.8223%
85 - 89	14	0.3560%	34	0.8645%
90 - 94	3	0.0763%	12	0.3051%
95+			1	0.0254%
<b>Total</b>	<b>879</b>	<b>22.3494%</b>	<b>3,054</b>	<b>77.6506%</b>

# PASCOM: Invasive Post Treatment Sequellae Report



The Society of  
Chiropractors  
and Podiatrists

## Report Filter:

Date Range: All events between 01/01/2010 and 31/12/2010

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 55

Total number of episodes: 3989

Total number of episodes with post-treatment events: 2405

Total number of treatments: 4924

Code	Name	Sequellae		Episodes	
NA	No observed sequella, a null result desired	2117	76.6196%	1487	61.8295%
CAL	Callus or IPK formation	7	0.2533%	7	0.2911%
FWR	Cannot wear shoes @ 3/12	2	0.0724%	2	0.0832%
DVT	Deep vein thrombosis proven	10	0.3619%	10	0.4158%
ENS	Entraped or stump nerve in/below incision	3	0.1086%	3	0.1247%
IMPL	Fixation problem: removal required	32	1.1582%	30	1.2474%
FXFR	Fixation problem: fracture of fixation, failure or implant rejection	4	0.1448%	4	0.1663%
HTM	Haematoma	9	0.3257%	9	0.3742%
BUND	Healing: Bone union delay	13	0.4705%	12	0.4990%
SNEC	Healing: skin necrosis	3	0.1086%	2	0.0832%
DHC	Healing: wound dehiscence	56	2.0268%	54	2.2453%
SWB	Healing: ischaemia/necrosis	4	0.1448%	4	0.1663%
BKD	Healing: wound breakdown, surgery may be required	13	0.4705%	11	0.4574%
SCR	Healing: scar line hypertrophy may not be painful	28	1.0134%	28	1.1642%
IATG	Iatrogenic toe deformation following surgery e.g. hallux varus	4	0.1448%	4	0.1663%
INCL	Inclusion cyst	2	0.0724%	2	0.0832%
INF +	Infection: proven	31	1.1220%	31	1.2890%
INFS	Infection: suspected/not proven	64	2.3163%	61	2.5364%
LAF	Injection failed where primary anaesthetic	1	0.0362%	1	0.0416%
RxSE	Medication side effect	16	0.5791%	16	0.6653%
FMET	Metatarsal fracture	15	0.5429%	15	0.6237%
MPL	Motor power weak cannot activate muscle easily	3	0.1086%	3	0.1247%
NRG	Nail regrowth following surgery	4	0.1448%	4	0.1663%
PNSS	Pain: surgical site beyond six weeks	62	2.2439%	61	2.5364%
CRPS	Pain: Complex regional pain syndrome type I or II	5	0.1810%	5	0.2079%
RxP	Pain: excessive post treatment pain (first 72 hours)	25	0.9048%	25	1.0395%
JPS	Pain: Joint pain and stiffness	40	1.4477%	36	1.4969%
NCP	Patient non compliance	23	0.8324%	22	0.9148%
PONV	Post operative nausea and vomiting (PONV)	6	0.2172%	6	0.2495%
NS-0	Sensory loss small	10	0.3619%	8	0.3326%
STF	Steroid flare	1	0.0362%	1	0.0416%
SABR	Healing: stitch abcess or suture reaction	8	0.2895%	8	0.3326%

Code	Name	Sequellae		Episodes	
FTX	Surgery failed or reoccurrence	45	1.6287%	44	1.8295%
OED	Swelling	52	1.8820%	49	2.0374%
TMET	Transfer metatarsalgia	45	1.6287%	44	1.8295%
Totals		2763	100.0000%		

# PASCOM: Invasive PSQ10 Response Report



The Society of  
Chiropractors  
and Podiatrists

## Report Filter:

Date Range: All events between 01/01/2010 and 31/12/2010

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 55

Total number of episodes: 3989

Total number of treatments: 4924

### Q 2 Were the risks from the surgery explained?

Yes	1,774	98.0%
Not sure	19	1.0%
No	11	0.6%
Not stated	7	0.4%

### Q 3 did you know what to do if you needed assistance?

Yes	1,734	95.7%
Not sure	32	1.8%
No	21	1.2%
Not stated	24	1.3%

### Q 4 Did you have a problem after your operation?

No	1,253	69.2%
A minor problem	461	25.5%
A major problem	58	3.2%
Not stated	39	2.2%

### Q4a If 'Yes' to Q4, what did you do?

Not applicable	1,292	71.3%
Waited	117	6.5%
Earlier appointment	205	11.3%
Called out podiatrist	2	0.1%
Verbal advice	71	3.9%
Went to A&E	36	2.0%
Other	68	3.8%
Not stated	20	1.1%

### Q4c If 'Yes' to Q4, how was speed of response?

Not applicable	1,292	71.3%
Slow to respond	10	0.6%
Satisfactory	97	5.4%
Fast to respond	215	11.9%
Not stated	197	10.9%

### Q4d If 'Yes' to Q4, how would you say your problem was dealt with?

Not applicable	1,292	71.3%
Poorly	18	1.0%
Cannot tell	47	2.6%
Satisfactorily	111	6.1%
Excellent	289	16.0%
Not stated	54	3.0%

### Q 5 Was your pain medication adequate after surgery?

Ineffective	113	6.2%
Some discomfort	935	51.6%
Excellent	735	40.6%
Not stated	28	1.5%

### Q 6 When could you get back in to your shoes?

By 2 weeks	359	19.8%
By 4 weeks	424	23.4%
By 6 weeks	416	23.0%
By 8 weeks	344	19.0%
By 12 weeks	66	3.6%
By 6 months	124	6.8%
After 6 months	40	2.2%
Not stated	38	2.1%

### Q 7 Do you still have discomfort from your original foot condition

At rest	131	7.2%
When standing	75	4.1%
Standing long time	183	10.1%
Occasional twinge	737	40.7%
No discomfort	659	36.4%
Not stated	26	1.4%

### Q8 How is your original problem?

Deteriorated	27	1.5%
A little worse	59	3.3%
The same	73	4.0%
Better	467	25.8%
Much better	1,161	64.1%
Not stated	24	1.3%

### Q9 Would you have surgery again under the same conditions?

Yes	1,657	91.5%
No	106	5.9%
Not stated	48	2.7%

### Q10 Were the original expectations that you stated at the beginning met?

Yes	1,523	84.1%
In part	209	11.5%
No	63	3.5%
Not stated	16	0.9%

No. of PSQ10 Events

1,811

Average Score

85.50

Standard Deviation

14.90



## Report Filter:

Date Range: All events between 01/01/2010 and 31/12/2010

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 55

Total number of episodes: 3989

Total number of treatments: 4924

Total number of MOXFQ events: 2402 pre, 1558 post

	Episodes with only Pre-MOXFQ or Post-MOXFQ				Episodes with both Pre-MOXFQ and Post-MOXFQ			
	Pre-treatment		Post-treatment		Pre-treatment		Post-treatment	
Number of events	1,069		229		1,333		1,329	
	Average	Std. Dev.	Average	Std. Dev.	Average	Std. Dev.	Average	Std. Dev.
WS	53.60	27.26	20.21	26.29	51.84	26.54	20.81	25.50
SI	46.69	26.35	17.38	23.90	46.31	24.29	15.53	21.66
P	54.20	21.98	24.34	25.97	53.03	21.36	23.88	22.73